

# Uniden®

## UH60XX SERIES

UHF CB Mobiles



**JAPANESE QUALITY**  
ENGINEERED FOR AUSTRALIA

**BUILT RUGGED**  
FOR AUSTRALIAN & NZ CONDITIONS



-  Trade Quality
-  4 Button MIC
-  7 Colour LCD Backlight
-  Quick Release Bracket
-  5 Year Warranty<sup>A</sup>



## UH6000

## COMMS PACK

UHF CB Mobile + 6.6dBi Antenna



-  Trade Quality
-  Remote Speaker MIC
-  Dual Speaker – MIC & Base
-  7 Colour LCD Backlight
-  5 Year Warranty<sup>A</sup>



## UH6060

## ESCAPE PACK

UHF CB Mobile + 6.6dBi Antenna

### Key Features

- Compact UHF CB Mobile
- One-touch MIC keys – Instant, Monitor, Call
- 7 Colour LCD with Brightness Control
- Flip LCD Display & Mounting
- 80 UHF Narrowband Channels\*
- 5 Watt Transmission Power
- Volume Keys & Rotary Channel Control
- Adjustable Auto Squelch
- Open / Group Scan with Priority Watch
- Duplex Capabilities
- CTCSS / DCS codes
- High/Low Voltage Alert
- Quick Release Bracket
- Size: 110mm(W) x 112mm(D) x 28mm(H)

#### ANTENNA AT750

- 477MHz UHF-CB Antenna
- Fibreglass Whip on an Elevated Feed with Stainless Steel Spring
- Ground Independent
- 6.6 dBi Gain
- Spring Style: Ø25.5mm Parallel, Ø5mm thread
- Whip Length: 600mm
- Mounted Height: 856mm
- 4.5m low loss Coax Cable
- Terminated FME Female Connector and PL259 Adaptor

### In the box

#### UH6000 PACK

- 1 x UH6000 Radio
- 1 x Quick Release Mounting Bracket
- 1 x Microphone Hanger
- 1 x DC Power Cord w/Fuse
- 1 x Mounting Hardware

#### COMMS PACK

- 1 x UH6000 Radio
- 1 x AT750 Antenna
- 1 x Quick Release Mounting Bracket
- 1 x Microphone Hanger
- 1 x DC Power Cord w/Fuse
- 1 x Mounting Hardware

### Key Features

- Compact UHF CB Mobile
- Remote Speaker MIC
- Dual Speaker – Speaker MIC & Base
- 7 Colour LCD with Brightness Control
- 80 UHF Narrowband Channels\*
- One-Touch Instant, Call, Mon and EMG buttons
- Adjustable Auto Squelch
- Open / Group Scan with Priority Watch
- Dual Watch
- Duplex Capabilities
- CTCSS / DCS codes
- Quick Release Bracket
- Size: 110mm(W) x 112mm(D) x 28mm(H)

#### ANTENNA AT780

- 477MHz UHF-CB Antenna
- Fibreglass Whip on an Elevated Feed with Stainless Steel Spring
- Ground Independent
- 6.6 dBi Gain
- Spring Style: Ø25.5–33–25.5mm Barrel, Ø5mm thread
- Whip Length: 600mm
- Mounted Height: 883mm
- 4.5m low loss Coax Cable
- Terminated FME Female Connector and PL259 Adaptor

### In the box


#### UH6060 PACK

- 1 x UH6060 Radio
- 1 x Quick Release Mounting Bracket
- 1 x Microphone Hanger
- 1 x DC Power Cord w/Fuse
- 1 x Mounting Hardware

#### ESCAPE PACK

- 1 x UH6060 Radio
- 1 x AT780 Antenna
- 1 x Quick Release Mounting Bracket
- 1 x Microphone Hanger
- 1 x DC Power Cord w/Fuse
- 1 x Mounting Hardware

# Uniden®



[facebook.com/Uniden](https://www.facebook.com/Uniden) [instagram.com/UnidenAustralia](https://www.instagram.com/UnidenAustralia) [youtube.com/c/UnidenAUS](https://www.youtube.com/c/UnidenAUS) [twitter.com/UnidenAustralia](https://twitter.com/UnidenAustralia)

\* Please note: CH22 & CH23 are used for telemetry and telecommand applications, voice communications are not permitted on these channels and transmission is inhibited. CH61, 62 & 63 are for future use and receive only channels. Specifications subject to change without notice. Δ One year warranty for the included accessories.

**UNIDEN.COM.AU**